

dimensions mm				load rating kN		speed limit min <sup>-1</sup>		code	weight	gross price
d	D	B	a	C dyn.	C <sub>0</sub> stat.	FETT grease	Öl oil	Lager bearing	kg	
15	32	9	8,0	6,20	3,40	48000	70000	B7002C.T.P4S.UL	0,030	
15	32	9	10,0	6,00	3,25	43000	63000	B7002E.T.P4S.UL	0,030	
17	30	7	7,0	5,03	3,15	48000	70000	B71903C.T.P4S.UL	0,020	
17	30	7	7,0	5,03	3,15	48000		B71903C.2RSD.T.P4S.UL	0,020	
17	30	7	9,0	5,00	3,00	43000	63000	B71903E.T.P4S.UL	0,020	
17	30	7	9,0	5,00	3,00	43000		B71903E.2RSD.T.P4S.UL	0,020	
17	35	10	8,0	8,65	4,90	43000	63000	B7003C.T.P4S.UL	0,040	
17	35	10	11,0	8,30	4,75	38000	56000	B7003E.T.P4S.UL	0,040	
17	40	12	10,0	10,80	5,85	38000	56000	B7203C.T.P4S.UL	0,060	
17	40	12	13,0	10,40	5,60	36000	53000	B7203E.T.P4S.UL	0,060	
17	47	14	11,3	11,10	7,50	29000	48000	A7303C.T.P4S.UL	0,120	
17	47	14	14,5	10,70	7,00	26000	43000	A7303E.T.P4S.UL	0,120	
20	37	9	8,0	8,80	5,10	38000	56000	B71904C.T.P4S.UL	0,034	
20	37	9	8,0	8,80	5,10	38000		B71904C.2RSD.T.P4S.UL	0,034	
20	37	9	11,0	8,30	4,90	36000	53000	B71904E.T.P4S.UL	0,034	
20	37	9	11,0	8,30	4,90	36000		B71904E.2RSD.T.P4S.UL	0,034	
20	42	12	10,0	10,00	6,00	36000	53000	B7004C.T.P4S.UL	0,069	
20	42	12	10,0	10,00	6,00	36000		B7004C.2RSD.T.P4S.UL	0,069	
20	42	12	13,0	9,50	5,70	32000	48000	B7004E.T.P4S.UL	0,069	
20	42	12	13,0	9,50	5,70	32000		B7004E.2RSD.T.P4S.UL	0,069	
20	47	14	12,0	14,60	8,15	32000	48000	B7204C.T.P4S.UL	0,108	
20	47	14	15,0	14,00	7,80	30000	45000	B7204E.T.P4S.UL	0,108	
20	52	15	12,3	18,20	9,90	26000	42000	A7304C.T.P4S.UL	0,150	
20	52	15	15,9	17,60	9,60	23000	38000	A7304E.T.P4S.UL	0,150	
25	42	9	9,0	9,15	5,70	32000	48000	B71905C.T.P4S.UL	0,040	
25	42	9	9,0	9,15	5,70	32000		B71905C.2RSD.T.P4S.UL	0,040	
25	42	9	12,0	8,65	5,50	30000	45000	B71905E.T.P4S.UL	0,040	
25	42	9	12,0	8,65	5,50	30000		B71905E.2RSD.T.P4S.UL	0,040	
25	47	12	11,0	14,60	9,15	30000	45000	B7005C.T.P4S.UL	0,084	
25	47	12	11,0	11,00	7,20	30000		B7005C.2RSD.T.P4S.UL	0,084	
25	47	12	14,0	13,70	8,65	28000	43000	B7005E.T.P4S.UL	0,084	
25	47	12	14,0	10,60	6,95	28000		B7005E.2RSD.T.P4S.UL	0,084	
25	52	15	13,0	14,60	9,30	28000	43000	B7205C.T.P4S.UL	0,133	
25	52	15	17,0	13,70	8,80	26000	40000	B7205E.T.P4S.UL	0,133	
25	62	17	14,3	18,10	10,50	30000	47500	A7305C.T.P4S.UL	0,222	
25	62	17	18,6	17,40	9,87	26500	43000	A7305E.T.P4S.UL	0,222	
30	47	9	10,0	10,00	6,95	28000	43000	B71906C.T.P4S.UL	0,046	
30	47	9	10,0	10,00	6,95	28000		B71906C.2RSD.T.P4S.UL	0,046	
30	47	9	14,0	9,50	6,55	26000	40000	B71906E.T.P4S.UL	0,046	
30	47	9	14,0	9,50	6,55	26000		B71906E.2RSD.T.P4S.UL	0,046	
30	55	13	14,0	14,30	10,00	26000	40000	B7006C.T.P4S.UL	0,117	

30	55	13	14,0	14,30	10,00	26000		B7006C.2RSD.T.P4S.UL	<b>0,117</b>
30	55	13	16,0	13,40	9,50	24000	38000	B7006E.T.P4S.UL	<b>0,117</b>
30	55	13	16,0	13,40	9,50	24000		B7006E.2RSD.T.P4S.UL	<b>0,117</b>
30	62	16	14,0	20,80	13,70	24000	38000	B7206C.T.P4S.UL	<b>0,204</b>
30	62	16	19,0	20,00	13,20	22000	36000	B7206E.T.P4S.UL	<b>0,204</b>
30	72	19	16,3	22,90	13,60	25500	40500	A7306C.T.P4S.UL	<b>0,329</b>
30	72	19	21,4	22,10	12,80	23000	37000	A7306E.T.P4S.UL	<b>0,329</b>
35	55	10	11,0	11,00	8,50	24000	38000	B71907C.T.P4S.UL	<b>0,076</b>
35	55	10	11,0	11,00	8,50	24000		B71907C.2RSD.T.P4S.UL	<b>0,076</b>
35	55	10	16,0	10,40	8,15	22000	36000	B71907E.T.P4S.UL	<b>0,076</b>
35	55	10	16,0	10,40	8,15	22000		B71907E.2RSD.T.P4S.UL	<b>0,076</b>
35	62	14	14,0	16,30	12,20	22000	36000	B7007C.T.P4S.UL	<b>0,157</b>
35	62	14	14,0	16,30	12,20	22000		B7007C.2RSD.T.P4S.UL	<b>0,157</b>
35	62	14	18,0	15,60	11,40	20000	34000	B7007E.T.P4S.UL	<b>0,157</b>
35	62	14	18,0	15,60	11,40	20000		B7007E.2RSD.T.P4S.UL	<b>0,157</b>
35	72	17	16,0	25,50	18,00	20000	34000	B7207C.T.P4S.UL	<b>0,296</b>
35	72	17	21,0	24,50	17,00	19000	32000	B7207E.T.P4S.UL	<b>0,296</b>
35	80	21	18,2	28,10	17,00	22000	36000	A7307C.T.P4S.UL	<b>0,428</b>
35	80	21	23,9	27,00	16,00	21000	32500	A7307E.T.P4S.UL	<b>0,428</b>
40	62	12	13,0	16,30	12,20	22000	36000	B71908C.T.P4S.UL	<b>0,105</b>
40	62	12	13,0	16,30	12,20	22000		B71908C.2RSD.T.P4S.UL	<b>0,105</b>
40	62	12	18,0	15,30	11,60	20000	34000	B71908E.T.P4S.UL	<b>0,105</b>
40	62	12	18,0	15,30	11,60	20000		B71908E.2RSD.T.P4S.UL	<b>0,105</b>
40	68	15	15,0	17,30	14,00	20000	34000	B7008C.T.P4S.UL	<b>0,196</b>
40	68	15	15,0	17,30	14,00	20000		B7008C.2RSD.T.P4S.UL	<b>0,196</b>
40	68	15	20,0	16,60	13,20	19000	32000	B7008E.T.P4S.UL	<b>0,196</b>
40	68	15	20,0	16,60	13,20	19000		B7008E.2RSD.T.P4S.UL	<b>0,196</b>
40	80	18	17,0	34,50	23,20	18000	30000	B7208C.T.P4S.UL	<b>0,364</b>
40	80	18	23,0	32,50	22,40	17000	28000	B7208E.T.P4S.UL	<b>0,364</b>
40	90	23	20,2	32,10	20,50	21000	32500	A7308C.T.P4S.UL	<b>0,622</b>
40	90	23	26,7	30,80	19,20	18500	29000	A7308E.T.P4S.UL	<b>0,622</b>
45	68	12	14,0	17,30	14,00	19000	32000	B71909C.T.P4S.UL	<b>0,126</b>
45	68	12	14,0	17,30	14,00	19000		B71909C.2RSD.T.P4S.UL	<b>0,126</b>
45	68	12	19,0	16,30	13,40	18000	30000	B71909E.T.P4S.UL	<b>0,126</b>
45	68	12	19,0	16,30	13,40	18000		B71909E.2RSD.T.P4S.UL	<b>0,126</b>
45	75	16	16,0	23,20	18,30	18000	30000	B7009C.T.P4S.UL	<b>0,236</b>
45	75	16	16,0	23,20	18,30	18000		B7009C.2RSD.T.P4S.UL	<b>0,236</b>
45	75	16	22,0	22,00	17,30	17000	28000	B7009E.T.P4S.UL	<b>0,236</b>
45	75	16	22,0	22,00	17,30	17000		B7009E.2RSD.T.P4S.UL	<b>0,236</b>
45	85	19	18,0	40,50	29,00	17000	28000	B7209C.T.P4S.UL	<b>0,408</b>
45	85	19	25,0	39,00	27,50	15000	24000	B7209E.T.P4S.UL	<b>0,408</b>
45	100	25	22,2	39,30	25,60	18500	29000	A7309C.T.P4S.UL	<b>0,829</b>
45	100	25	29,4	37,70	24,00	16000	23000	A7309E.T.P4S.UL	<b>0,829</b>
50	72	12	14,0	19,00	16,60	18000	30000	B71910C.T.P4S.UL	<b>0,129</b>
50	72	12	20,0	18,00	15,60	16000	26000	B71910E.T.P4S.UL	<b>0,129</b>
50	80	16	17,0	24,50	20,80	17000	28000	B7010C.T.P4S.UL	<b>0,262</b>
50	80	16	17,0	24,50	20,80	17000		B7010C.2RSD.T.P4S.UL	<b>0,262</b>
50	80	16	23,0	23,20	20,00	15000	24000	B7010E.T.P4S.UL	<b>0,262</b>
50	80	16	23,0	23,20	20,00	15000		B7010E.2RSD.T.P4S.UL	<b>0,262</b>

50	90	20	19,0	45,00	32,50	16000	26000	B7210C.T.P4S.UL	0,459
50	90	20	19,0	45,00	32,50	16000		B7210C.2RSD.T.P4S.UL	0,459
50	90	20	26,0	42,50	31,50	14000	22000	B7210E.T.P4S.UL	0,459
50	90	20	26,0	42,50	31,50	14000		B7210E.2RSD.T.P4S.UL	0,459
50	110	27	24,2	46,30	30,70	16000	26500	A7310C.T.P4S.UL	1,070
50	110	27	32,2	44,40	28,80	15000	23000	A7310E.T.P4S.UL	1,070
55	80	13	16,0	22,00	19,60	16000	26000	B71911C.T.P4S.UL	0,176
55	80	13	22,0	20,80	18,60	15000	24000	B71911E.T.P4S.UL	0,176
55	90	18	19,0	34,00	28,50	15000	24000	B7011C.T.P4S.UL	0,383
55	90	18	19,0	34,00	28,50	15000		B7011C.2RSD.T.P4S.UL	0,383
55	90	18	26,0	32,50	27,00	14000	22000	B7011E.T.P4S.UL	0,383
55	90	18	26,0	32,50	27,00	14000		B7011E.2RSD.T.P4S.UL	0,383
55	100	21	21,0	53,00	40,00	14000	22000	B7211C.T.P4S.UL	0,608
55	100	21	29,0	50,00	38,00	13000	20000	B7211E.T.P4S.UL	0,608
55	120	29	26,2	53,90	36,40	15000	24500	A7311C.T.P4S.UL	1,360
55	120	29	34,9	51,70	34,10	14000	22000	A7311E.T.P4S.UL	1,360
60	85	13	16,0	23,20	21,60	15000	24000	B71912C.T.P4S.UL	0,190
60	85	13	23,0	22,00	20,80	14000	22000	B71912E.T.P4S.UL	0,190
60	95	18	19,0	35,50	30,50	14000	22000	B7012C.T.P4S.UL	0,410
60	95	18	19,0	35,50	30,50	14000		B7012C.2RSD.T.P4S.UL	0,410
60	95	18	27,0	33,50	29,00	13000	20000	B7012E.T.P4S.UL	0,410
60	95	18	27,0	33,50	29,00	13000		B7012E.2RSD.T.P4S.UL	0,410
60	110	22	23,0	64,00	49,00	13000	20000	B7212C.T.P4S.UL	0,782
60	110	22	31,0	61,00	47,50	12000	19000	B7212E.T.P4S.UL	0,782
60	130	31	28,2	57,00	39,40	14000	22000	A7312C.T.P4S.UL	0,750
60	130	31	37,6	54,50	37,00	12500	19500	A7312E.T.P4S.UL	0,750
65	90	13	17,0	23,60	22,80	14000	22000	B71913C.T.P4S.UL	0,202
65	90	13	25,0	22,40	21,60	13000	20000	B71913E.T.P4S.UL	0,202
65	100	18	20,0	36,00	32,50	13000	20000	B7013C.T.P4S.UL	0,435
65	100	18	20,0	36,00	32,50	13000		B7013C.2RSD.T.P4S.UL	0,435
65	100	18	28,0	34,00	31,00	12000	19000	B7013E.T.P4S.UL	0,435
65	100	18	28,0	34,00	31,00	12000		B7013E.2RSD.T.P4S.UL	0,435
65	120	23	24,0	72,00	57,00	12000	19000	B7213C.T.P4S.UL	0,997
65	120	23	33,0	69,50	54,00	11000	18000	B7213E.T.P4S.UL	0,997
70	100	16	19,0	32,50	31,00	13000	20000	B71914C.T.P4S.UL	0,331
70	100	16	28,0	30,50	30,00	12000	19000	B71914E.T.P4S.UL	0,331
70	110	20	22,0	49,20	39,00	19000	23500	B7014C.T.P4S.UL	0,590
70	110	20	31,0	46,60	36,70	16000	20000	B7014E.T.P4S.UL	0,590
70	125	24	25,0	76,50	60,00	11000	18000	B7214C.T.P4S.UL	1,080
70	125	24	35,0	72,00	57,00	10000	17000	B7214E.T.P4S.UL	1,080
75	105	16	20,0	33,50	32,50	12000	19000	B71915C.T.P4S.UL	0,351
75	105	16	29,0	31,00	31,00	11000	18000	B71915E.T.P4S.UL	0,351
75	115	20	23,0	50,20	42,50	19000	23500	B7015C.T.P4S.UL	0,620
75	115	20	32,0	48,00	39,20	16000	20000	B7015E.T.P4S.UL	0,620
75	130	25	26,0	80,00	65,50	11000	18000	B7215C.T.P4S.UL	1,180
75	130	25	36,0	75,00	62,00	9500	16000	B7215E.T.P4S.UL	1,180
80	110	16	21,0	33,50	34,50	12000	19000	B71916C.T.P4S.UL	0,370
80	110	16	30,0	32,00	32,50	11000	18000	B71916E.T.P4S.UL	0,370
80	125	22	25,0	58,50	55,00	11000	18000	B7016C.T.P4S.UL	0,857

80	125	22	35,0	56,00	53,00	9500	16000	B7016E.T.P4S.UL	<b>0,857</b>
80	140	26	28,0	93,00	78,00	10000	17000	B7216C.T.P4S.UL	<b>1,450</b>
80	140	26	39,0	88,00	73,50	9000	15000	B7216E.T.P4S.UL	<b>1,450</b>
85	120	18	23,0	44,00	45,00	11000	18000	B71917C.T.P4S.UL	<b>0,536</b>
85	120	18	33,0	41,50	42,50	9500	16000	B71917E.T.P4S.UL	<b>0,536</b>
85	130	22	25,0	60,00	58,50	10000	17000	B7017C.T.P4S.UL	<b>0,903</b>
85	130	22	36,0	57,00	56,00	9000	15000	B7017E.T.P4S.UL	<b>0,903</b>
85	150	28	30,0	104,00	90,00	9000	15000	B7217C.T.P4S.UL	<b>1,850</b>
85	150	28	41,0	98,00	86,50	8000	13000	B7217E.T.P4S.UL	<b>1,850</b>
90	125	18	23,0	45,00	46,50	10000	17000	B71918C.T.P4S.UL	<b>0,565</b>
90	125	18	34,0	42,50	44,00	9000	15000	B71918E.T.P4S.UL	<b>0,565</b>
90	140	24	27,0	72,00	69,50	9500	16000	B7018C.T.P4S.UL	<b>1,180</b>
90	140	24	39,0	68,00	65,50	8500	14000	B7018E.T.P4S.UL	<b>1,180</b>
90	160	30	32,0	120,00	106,00	8500	14000	B7218C.T.P4S.UL	<b>2,250</b>
90	160	30	44,0	114,00	100,00	7500	12000	B7218E.T.P4S.UL	<b>2,250</b>
95	130	18	24,0	45,50	49,00	9500	16000	B71919C.T.P4S.UL	<b>0,578</b>
95	130	18	35,0	43,00	46,50	8500	14000	B71919E.T.P4S.UL	<b>0,578</b>
95	145	24	28,0	78,00	76,50	9000	15000	B7019C.T.P4S.UL	<b>1,190</b>
95	145	24	40,0	75,00	72,00	8000	13000	B7019E.T.P4S.UL	<b>1,190</b>
95	170	32	34,0	127,00	114,00	8000	13000	B7219C.T.P4S.UL	<b>2,720</b>
95	170	32	47,0	122,00	108,00	7000	11000	B7219E.T.P4S.UL	<b>2,720</b>
100	140	20	26,0	47,50	53,00	9000	15000	B71920C.T.P4S.UL	<b>0,882</b>
100	140	20	38,0	44,00	49,00	8000	13000	B71920E.T.P4S.UL	<b>0,882</b>
100	150	24	29,0	75,00	76,50	8500	14000	B7020C.T.P4S.UL	<b>1,280</b>
100	150	24	41,0	71,00	73,50	7500	12000	B7020E.T.P4S.UL	<b>1,280</b>
100	180	34	36,0	156,00	137,00	7500	12000	B7220C.T.P4S.UL	<b>3,210</b>
100	180	34	50,0	150,00	129,00	6700	10000	B7220E.T.P4S.UL	<b>3,210</b>
105	145	20	27,0	58,50	64,00	8500	14000	B71921C.T.P4S.UL	<b>0,810</b>
105	145	20	39,0	55,00	60,00	7500	12000	B71921E.T.P4S.UL	<b>0,810</b>
105	160	26	31,0	106,00	102,00	8000	13000	B7021C.T.P4S.UL	<b>1,520</b>
105	160	26	44,0	102,00	98,00	7000	11000	B7021E.T.P4S.UL	<b>1,520</b>
105	190	36	38,0	163,00	146,00	7000	11000	B7221C.T.P4S.UL	<b>3,880</b>
105	190	36	52,0	156,00	140,00	6300	9500	B7221E.T.P4S.UL	<b>3,880</b>
110	150	20	27,0	58,50	67,00	8000	13000	B71922C.T.P4S.UL	<b>0,850</b>
110	150	20	40,0	56,00	63,00	7500	12000	B71922E.T.P4S.UL	<b>0,850</b>
110	170	28	33,0	110,00	110,00	7500	12000	B7022C.T.P4S.UL	<b>1,940</b>
110	170	28	47,0	104,00	104,00	6700	10000	B7022E.T.P4S.UL	<b>1,940</b>
110	200	38	40,0	163,00	150,00	6700	10000	B7222C.T.P4S.UL	<b>4,590</b>
110	200	38	55,0	153,00	143,00	6000	9000	B7222E.T.P4S.UL	<b>4,590</b>
120	165	22	30,0	73,50	85,00	7000	11000	B71924C.T.P4S.UL	<b>1,160</b>
120	165	22	44,0	69,50	80,00	6700	10000	B71924E.T.P4S.UL	<b>1,160</b>
120	180	28	34,0	112,00	116,00	6700	10000	B7024C.T.P4S.UL	<b>2,070</b>
120	180	28	49,0	106,00	110,00	6300	9500	B7024E.T.P4S.UL	<b>2,070</b>
120	215	40	43,0	204,00	196,00	6000	9000	B7224C.T.P4S.UL	<b>5,290</b>
120	215	40	59,0	196,00	186,00	5300	8000	B7224E.T.P4S.UL	<b>5,290</b>
130	180	24	33,0	86,50	100,00	6700	10000	B71926C.T.P4S.UL	<b>1,520</b>
130	180	24	48,0	81,50	95,00	6000	9000	B71926E.T.P4S.UL	<b>1,520</b>
130	200	33	39,0	143,00	150,00	6000	9000	B7026C.T.P4S.UL	<b>3,150</b>
130	200	33	55,0	137,00	143,00	5600	8500	B7026E.T.P4S.UL	<b>3,150</b>

130	230	40	44,0	212,00	216,00	5600	8500	B7226C.T.P4S.UL	6,100
130	230	40	62,0	204,00	204,00	5000	7500	B7226E.T.P4S.UL	6,100
140	190	24	34,0	90,00	108,00	6000	9000	B71928C.T.P4S.UL	1,630
140	190	24	50,0	85,00	102,00	5600	8500	B71928E.T.P4S.UL	1,630
140	210	33	40,0	146,00	160,00	5600	8500	B7028C.T.P4S.UL	3,340
140	210	33	57,0	140,00	150,00	5000	7500	B7028E.T.P4S.UL	3,340
140	250	42	47,0	220,00	232,00	5000	7500	B7228C.T.P4S.UL	7,870
140	250	42	66,0	212,00	224,00	4500	6700	B7228E.T.P4S.UL	7,870
150	210	28	38,0	122,00	143,00	5600	8500	B71930C.T.P4S.UL	2,490
150	210	28	56,0	114,00	134,00	5000	7500	B71930E.T.P4S.UL	2,490
150	225	35	43,0	183,00	193,00	5300	8000	B7030C.T.P4S.UL	3,990
150	225	35	61,0	173,00	186,00	4800	7000	B7030E.T.P4S.UL	3,990
150	270	45	51,0	228,00	255,00	4500	6700	B7230C.T.P4S.UL	10,100
150	270	45	71,0	216,00	240,00	4000	6000	B7230E.T.P4S.UL	10,100
160	220	28	40,0	125,00	150,00	5000	7500	B71932C.T.P4S.UL	2,620
160	220	28	58,0	116,00	140,00	4800	7000	B71932E.T.P4S.UL	2,620
160	240	38	46,0	190,00	208,00	4800	7000	B7032C.T.P4S.UL	5,010
160	240	38	66,0	176,00	196,00	4300	6300	B7032E.T.P4S.UL	5,010
160	290	48	54,0	245,00	285,00	4300	6300	B7232C.T.P4S.UL	12,900
160	290	48	76,0	232,00	270,00	3800	5600	B7232E.T.P4S.UL	12,900
170	230	28	41,0	129,00	163,00	4800	7000	B71934C.T.P4S.UL	2,780
170	230	28	61,0	122,00	150,00	4300	6300	B71934E.T.P4S.UL	2,780
170	260	42	50,0	236,00	270,00	4500	6700	B7034C.T.P4S.UL	6,510
170	260	42	71,0	224,00	255,00	4000	6000	B7034E.T.P4S.UL	6,510
170	310	52	58,0	300,00	360,00	3800	5600	B7234C.T.P4S.UL	15,600
170	310	52	82,0	280,00	345,00	3600	5300	B7234E.T.P4S.UL	15,600
180	250	33	46,0	163,00	204,00	4500	6700	B71936C.T.P4S.UL	4,130
180	250	33	67,0	156,00	193,00	4000	6000	B71936E.T.P4S.UL	4,130
180	280	46	54,0	245,00	285,00	4000	6000	B7036C.T.P4S.UL	8,770
180	280	46	77,0	232,00	275,00	3800	5600	B7036E.T.P4S.UL	8,770
180	320	52	60,0	305,00	390,00	3800	5600	B7236C.T.P4S.UL	16,300
180	320	52	84,0	290,00	365,00	3400	5000	B7236E.T.P4S.UL	16,300
190	260	33	47,0	166,00	212,00	4300	6300	B71938C.T.P4S.UL	4,310
190	260	33	69,0	156,00	200,00	3800	5600	B71938E.T.P4S.UL	4,310
190	290	46	55,0	250,00	305,00	3800	5600	B7038C.T.P4S.UL	9,180
190	290	46	79,0	236,00	290,00	3600	5300	B7038E.T.P4S.UL	9,180
190	340	55	63,0	315,00	415,00	3400	5000	B7238C.T.P4S.UL	20,000
190	340	55	89,0	300,00	390,00	3200	4800	B7238E.T.P4S.UL	20,000
200	280	38	51,0	204,00	255,00	3800	5600	B71940C.T.P4S.UL	6,030
200	280	38	75,0	193,00	240,00	3600	5300	B71940E.T.P4S.UL	6,030
200	310	51	60,0	305,00	390,00	3600	5300	B7040C.T.P4S.UL	11,600
200	310	51	85,0	290,00	365,00	3200	4800	B7040E.T.P4S.UL	11,600
200	360	58	67,0	325,00	440,00	3200	4800	B7240C.T.P4S.UL	24,100
200	360	58	94,0	310,00	415,00	3000	4500	B7240E.T.P4S.UL	24,100
220	300	38	54,0	216,00	285,00	3600	5300	B71944C.T.P4S.UL	6,570
220	300	38	80,0	204,00	270,00	3200	4800	B71944E.T.P4S.UL	6,570
220	340	56	66,0	325,00	440,00	3200	4800	B7044C.T.P4S.UL	15,700
220	340	56	93,0	310,00	415,00	3000	4500	B7044E.T.P4S.UL	15,700
220	400	65	74,0	400,00	560,00	2800	4300	B7244C.T.P4S.UL	33,000

220	400	65	104,0	380,00	540,00	2600	4000	B7244E.T.P4S.UL	<b>33,000</b>
240	320	38	57,0	224,00	310,00	3200	4800	B71948C.T.P4S.UL	<b>7,080</b>
240	320	38	84,0	212,00	285,00	3000	4500	B71948E.T.P4S.UL	<b>7,080</b>
240	360	56	68,0	335,00	465,00	3000	4500	B7048C.T.P4S.UL	<b>16,700</b>
240	360	56	98,0	315,00	440,00	2800	4300	B7048E.T.P4S.UL	<b>16,700</b>
260	360	46	64,5	285,00	415,00	3000	4500	B71952C.T.P4S.UL	<b>12,100</b>
260	360	46	95,0	270,00	390,00	2600	4000	B71952E.T.P4S.UL	<b>12,100</b>
280	380	46	67,0	300,00	450,00	2600	4000	B71956C.T.P4S.UL	<b>12,900</b>
280	380	46	100,0	280,00	425,00	2400	3800	B71956E.T.P4S.UL	<b>12,900</b>
300	420	56	76,0	360,00	570,00	2400	3800	B71960C.T.P4S.UL	<b>20,400</b>
300	420	56	112,0	340,00	540,00	2200	3600	B71960E.T.P4S.UL	<b>20,400</b>
320	440	56	79,0	375,00	620,00	2200	3600	B71964C.T.P4S.UL	<b>21,600</b>
320	440	56	116,5	355,00	585,00	2000	3400	B71964E.T.P4S.UL	<b>21,600</b>
340	460	56	81,5	380,00	640,00	2200	3600	B71968C.T.P4S.UL	<b>22,700</b>
340	460	56	121,0	360,00	610,00	1900	3200	B71968E.T.P4S.UL	<b>22,700</b>
360	480	56	84,0	390,00	695,00	2000	3400	B71972C.T.P4S.UL	<b>23,900</b>
360	480	56	126,0	375,00	640,00	1800	3000	B71972E.T.P4S.UL	<b>23,900</b>